

CLEANING LABORATORY EVALUATION SUMMARY

SCL #: 2003

DateRun: 02/24/2003

Experimenters: Jason Marshall, Heidi Wilcox

ClientType: State Agency

ProjectNumber: Project #2

Substrates: Ceramics

PartType: Coupon

Contaminants: Dirt, Hucker's Soil

Cleaning Methods: Manual Wipe

Analytical Methods: Gravimetric, Photography

Purpose: To evaluate supplied products on third soil type on glazed ceramic coupons.

Experimental Procedure: Four supplied cleaning products were diluted with DI water to vendor recommended concentrations for all purpose cleaning. Twelve preweighed ceramic coupons were coated with Hucker's Soil Formulation (Jif Creamy Peanut Butter 9.2%, Salted Butter 9.2%, Arrowhead Mills stone ground wheat flour 9.2%, Egg Yolk 9.2%, Evaporated milk 13.8%, Distilled water 45.8%, Printer's ink with boiled linseed oil 0.9%, Shaws saline solution 2.7%) using a hand held swab and allowed to dry for 24 hours at room temperature. The contaminated coupons were weighed again to determine the amount of soil added. Photographs were taken.

Three coupons were placed into a Gardner Straight Line Washability unit. A Professional Painter's Rag was attached to the cleaning sled and soaked with 5-7 sprays of cleaning solutions. Each coupon was sprayed 7-10 times with the same cleaning solution. The cleaning unit was run for 20 cycles (~33 seconds). At the end of the cleaning, coupons were wiped once with a dry paper towel. Final weights were recorded and a second set of photographs were taken. Efficiencies were calculated and recorded.

Results: All four products were successful in removing SSL Soil 3 from glazed ceramic coupons. The table below lists the amount of soil added and removed.

Table 1. Soil Application and Removal

| Cleaner | Initial wt | Final wt | % Removed |
|------------|------------|----------|-----------|
| H2Orange2 | 0.0233 | -0.0003 | 101.29 |
| | 0.0237 | 0.0060 | 74.68 |
| | 0.0217 | 0.0030 | 86.18 |
| Super H2O2 | 0.0280 | 0.0024 | 91.43 |
| | 0.0313 | 0.0047 | 84.98 |
| | 0.0439 | 0.0081 | 81.55 |
| Free Fall | 0.0470 | 0.0033 | 92.98 |
| | 0.0633 | 0.0017 | 97.31 |
| | 0.0295 | -0.0003 | 101.02 |
| Ecogent | 0.0618 | 0.0093 | 84.95 |
| | 0.0286 | 0.0048 | 83.22 |
| | 0.0163 | 0.0021 | 87.12 |

Summary:

| Substrates: | | Ceramics | | | | |
|--------------------------------|--|-------------------------------------|--------|-------------|-------------------------------------|---------------|
| Contaminants: | | Dirt, Hucker's Soil | | | | |
| Company Name: | | Product Name: | Conc.: | Efficiency: | Effective: | Observations: |
| Envirox LLC | | H2Orange2 | 4 | 87.38 | <input checked="" type="checkbox"/> | |
| Cleanline Products | | H2O2 Super Citrus Concentrate | 3 | 85.99 | <input checked="" type="checkbox"/> | |
| Ramsey Company | | Free Fall | 6 | 97.10 | <input checked="" type="checkbox"/> | |
| Cogent Environmental Solutions | | Ecogent General All Purpose Cleaner | 3 | 85.09 | <input checked="" type="checkbox"/> | |

Conclusion: The products will be evaluated on the second substrate, plastic G-10, using the third soil.