

CLEANING LABORATORY EVALUATION SUMMARY

SCL #: 2016
 DateRun: 01/03/2016
 Experimenters: Alicia Melvin, Luis Raudales
 ClientType: Cleaner Manufacturer
 ProjectNumber: Project #2
 Substrates: Ceramics, Plastic, Steel
 PartType: Coupon
 Contaminants: Hucker's Soil
 Cleaning Methods:
 Analytical Methods: Gravimetric
 Purpose: To evaluate two all-purpose cleaners supplied products for Hucker's soil removal from various surfaces

Experimental Procedure: The two cleaning products were used at the requested dilutions, 1:128 for PC-120 and 2oz/128 for Ecolab Wall glide, both at room temperature during the test. Nine pre-weighed coupons per cleaner (three Ceramic, three Plastic and three Painted steel) were coated with 0.5g Hucker's soil at room temperature using a handheld swab. The contaminated coupons were air dried for two hours at room temperature and weighed again to determine the amount of soil added.

The three coupons of each substrate were placed in the SLW equipment, and a KC Wypal reinforced paper towel was attached to the cleaning sled and soaked with 2 sprays of cleaning solution. Each coupon was sprayed twice with the same cleaning solution. The cleaning unit was run for 20 cycles (30 sec). At the end of the cleaning cycle, the coupons were wiped once with a dry paper towel. Coupons dried overnight and final weights were recorded. Efficiencies were calculated and recorded.

Results: Cleaners evaluated: PC-120 by MD Stetson Co. Inc.; Wall Glide Plus by Ecolab Inc.

Cleaner	Substrates	Soil added (grams)	% removed 30 sec	Av. Rem. Per substrate	Average rem. Cleaner
PC-120	Ceramic	0.16	87.42		
		0.2	94.65	92.52	
		0.21	95.49		
	Plastic	0.27	89.54		
		0.23	95.47	92.29	86.76
		0.23	91.86		
	Painted Steel	0.21	75.04		
		0.1	75.87	75.46	
		0.21	75.46		
Wall Glide	Ceramic	0.2	89.11		
		0.19	87.67	88.48	
		0.21	88.67		
	Plastic	0.21	97.48		
		0.21	98.13	98.47	94.48
		0.19	99.79		
	Painted Steel	0.23	96.67		
		0.2	97.48	96.5	
		0.22	95.36		

Summary:		Substrates: Ceramics, Plastic, Steel				
		Contaminants: Hucker's Soil				
Company Name:	Product Name:	Conc.:	Efficiency:	Effective:	Observations:	
Next-Gen Supply Group	PC 120 Peroxide Multisurface Cleaner	1.5	86.76	<input checked="" type="checkbox"/>		

Conclusion: At the end of the cycle (30 sec), the Wall Glide Plus was capable to remove up to 94.48% of the Hucker's soil. The other cleaner, PC-120, removed up to 86.76%.